

LS01 Type



Art. No.	Breaking Load (kg)	Width (mm)	Total Length (m)
LS01-008	800	25	6 ~ 12
LS01-015	1500	25	6 ~ 12
LS01-02	2000	35/50	6 ~ 12
LS01-03	3000	35/50	6 ~ 12
LS01-04	4000	50	6 ~ 12
LS01-05	5000	50	6 ~ 12
LS01-08	8000	75	6 ~ 12
LS01-10	10000	100	6 ~ 12

Note: End fittings are changeable according to different requirement. See Page 33- Page 36.

LS04 Type



Art. No.	Breaking Load (kg)	Width (mm)	Total Length (m)
LS04-008	800	25	6 ~ 12
LS04-015	1500	25	6 ~ 12
LS04-02	2000	35/50	6 ~ 12
LS04-03	3000	35/50	6 ~ 12
LS04-04	4000	50	6 ~ 12
LS04-05	5000	50	6 ~ 12
LS04-08	8000	75	6 ~ 12
LS04-10	10000	100	6 ~ 12

Note: End fittings are changeable according to different requirement. See Page 33- Page 36.

LS02 Type



Art. No.	Breaking Load (kg)	Width (mm)	Total Length (m)
LS02-007	700	25	6 ~ 12
LS02-015	1500	25	6 ~ 12

Note: End fittings are changeable according to different requirement. See Page 33- Page 36.

LS05 Type



Art. No.	Breaking Load (lbs)	Width (inch)	Total Length (m)
LS05-045	10000	2"	6 ~ 12
LS05-075	16500	4"	6 ~ 12

Note: End fittings are changeable according to different requirement. See Page 33- Page 36.

LS03 Type



Art. No.	Breaking Load (kg)	Width (mm)	Total Length (m)
LS03-0025	250	25	6 ~ 12
LS03-003	300	25	6 ~ 12

Note: End fittings are changeable according to different requirement. See Page 33- Page 36.

LS06 Type



Art. No.	Breaking Load (lbs)	Width (inch)	Total Length (m)
LS06-068	15000	4"	6 ~ 12
LS06-075	16500	4"	6 ~ 12

Note: End fittings are changeable according to different requirement. See Page 33- Page 36.

Towing Belt for Cars




Art. No.	Breaking Load (kg)	Approx. Thickness (mm)	Approx. Width (mm)	Total Length (m)
TB01-1	1000	1.5	50	4
TB01-1.5	1500	1.5	50	4
TB01-2	2000	3	50	4
TB01-3	3000	3	50	4

Other Towing Belts for Cars



End Fitting


Ratchet



Type : RB001
Size : 4" Breaking Load : 10000kg
Suitable for LS01, LS04 and LS05 ratchet tie down
Single Lock Plastic Handle/Aluminium Handle Galv

Type : RB002
Size : 3" Breaking Load : 10000kg
Suitable for LS01, LS04 and LS05 ratchet tie down
Single Lock Aluminium Handle Galv


Type : RB003-1
Size : 2" Breaking Load : 5000kg
Suitable for LS01 and LS04 ratchet tie down
Double Lock Plastic Handle/Aluminium Handle Galv



Type : RB003-04
Size : 2" Breaking Load : 5000kg
Suitable for LS01, LS04 and LS05 ratchet tie down
Double Lock Aluminium Handle

Type : RB003-06
Size : 2" Breaking Load : 5000kg
Suitable for LS01 and LS04 ratchet tie down
Single Lock/Double Lock Plastic Handle/Aluminium GalvHandle


Type : RB003-07
Size : 2" Breaking Load : 2000kg
Suitable for LS01 and LS04 ratchet tie down
Single Lock Steel Handle Aluminium GalvHandle



Type : RB004-01
Size : 1 1/2" Breaking Load : 3000kg
Suitable for LS01 and LS04 ratchet tie down
Single Lock/Double Lock Plastic Handle Steel Handle

Type : RB004-03
Size : 1 1/2" Breaking Load : 2000kg
Suitable for LS01 and LS04 ratchet tie down
Single Lock Steel Handle Galv


Type : RB005-01
Size : 1 1/16" Breaking Load : 1500kg
Suitable for LS01, LS02 and LS04 ratchet tie down
Single Lock Steel Handle Galv



Type : RB006-01
Size : 1" Breaking Load : 800kg
Suitable for LS01, LS02 and LS04 ratchet tie down
Single Lock Steel Handle Galv


Type : RB006-02
Size : 1" Breaking Load : 800kg
Suitable for LS01, LS02 and LS04 ratchet tie down
Single Lock Galv

Swan Hook



Art. No.	Size	Breaking Load (kg)	Dimension (mm)				Surface	Suitability
			A	B	d	D		
SWH001	2"	5000	53	85	40	9	Galv.	LS01
SWH002	1 1/2"	3000	38	80	40	9	Galv.	LS01
SWH003	1"	1500	28	60	20	5.5	Galv.	LS01

Flat Hook



Art. No.	Size	Breaking Load (lbs)	Dimension (mm)						Surface	Suitability	Note
			A	B	C	d	E	L			
FH001-01	4"	17000	70	95	6	17	45	93	Galv./Electric Galv.	LS05,LS06	Steel or Aluminium safety latch is available
FH002-01	2"	10000	48	66	4.5	17	45	92	Galv./Electric Galv.	LS05	

S Hook



Art. No.	Size	Breaking Load (kg)	Dimension (mm)				Surface	Suitability
			D1	D2	D3	H		
VSH001	1"	1500	25	25	12	120	Dipping Plastic	LS02
VSH002	1"	1000	22	23	12	95	Dipping Plastic	LS02,LS03
VSH003	1"	1000	22	25	10	120	Dipping Plastic	LS02
VSH004	1"	800	25	25	9	102	Dipping Plastic	LS02

Triangle Ring




Art. No.	Size	Breaking Load (kg)	Dimension (mm)				Surface	Suitability
			A	B	d	D		
VR001	4"	20000 lbs	102	88	20	18	Galv.	LS01
VR002	3"	18000 lbs	77	62	16	11.7	Galv.	LS01
VR003	2"	5000	52	62	15	11.5	Galv.	LS01
VR004	1 1/2"	3000	38	50	16	9.5	Galv.	LS01

Single J Hook




Art. No.	Size	Breaking Load (kg)	Dimension (mm)					Surface	Suitability
			A	B	C	d	D		
SJH001-01	2"	5000	53	120	50	20	16	Galv.	LS01
SJH001-02	2"	3000	52	123	50	20	12	Galv.	LS01
SJH002	1 1/2"	3000	40	100	50	16	12	Galv.	LS01

Flat Safety Hook




Art. No.	Size	Breaking Load (kg)	Dimension (mm)					Surface	Suitability
			A	B	C	D	E		
SNH002-01	2"	2700	50	3	80	24	110	Galv.	LS01
SNH002-02	2"	4500	51	5	120	25	153	Galv.	LS01
TSNH001	2"	4500	51	6	118	25	118	Galv.	LS01

Closed Double J Hook




Art. No.	Size	Breaking Load (kg)	Dimension (mm)					Surface	Suitability
			A	B	C	d	D		
WH001	4"	10000	103	140	52	22	17	Galv.	LS01
WH002	3"	10000	77	136	45	20	16	Galv.	LS01
WH003-01	2"	5000	52	85	38	20	11.7	Galv.	LS01
WH003-02	2"	5000	52	108	36	20	11.7	Galv.	LS01
WH003-04	2"	4000	52	85	35	19	11	Galv.	LS01
WH003-05	2"	3000	52	85	35	20	9.5	Galv.	LS01
WH003-06	2"	680	52	72	30	25	6.5	Galv.	LS01
WH004-01	1 1/2"	3000	38	65	30.5	17	9.5	Galv.	LS01
WH004-02	1 1/2"	3000	38	86	35	18	9.5	Galv.	LS01
WH004-03	1 1/2"	2000	38	65	30	18	8.5	Galv.	LS01
WH005-01	1 1/16"	1500	28	58	28	17	7	Galv.	LS01
WH006	"1"	800	27	47	21	11	6.5	Galv.	LS01

Open Double J Hook



Art. No.	Size	Breaking Load (kg)	Dimension (mm)				Surface	Suitability
			A	B	d	D		
UH001	3"	10000	77	88	20	18	Galv.	LS01
UH002-01	2"	5000	52	62	16	11.7	Galv.	LS01
UH002-02	2"	4000	52	62	15	11.5	Galv.	LS01
UH003	1 1/2"	3000	39	50	16	9.5	Galv.	LS01
UH004	1 1/16"	1500	28	50	16	7	Galv.	LS01


Eye Hook



Art. No.	Self Weight (kg)	Breaking Load (kg)	Dimension (mm)								Surface	Suitability
			A	B	C	d1	d2	d3	E	F		
EH001	320	5000	55	22	18	17	8	19	55	15	Galv.	Traction belt for car
EH002	240	3000	55	22	18	17	8	19	55	15	Galv.	Traction belt for car



Cam Buckle



Type: CB001
Size: 2" Breaking Load : 1500kg
Suitable for LS03 ratchet tie down
Galv

Type: CB002-01
Size: 1" Breaking Load : 1200kg
Suitable for LS03 ratchet tie down
Galv

Type: CB002-02
Size: 1" Breaking Load : 700kg
Suitable for LS03 ratchet tie down
Galv




Type: CB002-03
Size: 1" Breaking Load : 500kg
Suitable for LS03 ratchet tie down
Galv

Type: CB002-04
Size: 1" Breaking Load : 400kg
Suitable for LS03 ratchet tie down
Galv


Type: CB002-05
Size: 1" Breaking Load : 500kg
Suitable for LS03 ratchet tie down
Galv

D Ring



Type: DR002
Size: 1 1/16" Breaking Load : 1300kg
Suitable for LS01 ratchet tie down

Special End Fitting



Type: SP003
Size: 2" Breaking Load : 1200kg
Suitable for LS01 ratchet tie down

